


2016
PRODUCT
CATALOGUE




NERRADTM
TOOLS

ENGINEERED FOR PROFESSIONALS

CONTENTS

CUTTERS & WRENCHES

Copper Tube Cutters	3
Ratchet Action Copper Tube Cutters	5
Adj Ratchet Action Copper/Inox/Plastic/Multilayer Tube Cutters	7
'Raptor' Plastic & Multilayer Tube Cutters	9
Adj Copper/Inox/Aluminium/Plastic/Multilayer Tube Cutters	11
Corrugated Stainless Steel Tube Cutters	17
Commercial, Industrial Size Pipe Cutters	19
Drain & Soil Pipe Cutters	21
Max Tube Cutters	23
Olive Cutters	25
Spare Wheels & Blades	26
Superwide Nerrad Adjustable Wrenches	29
Mini Adjustable Wrench	31
Superwide Adjustable Wrench	32
Self-Locking, Heavy Duty Hawk Wrenches	33
Vipergrip Pump Pliers	35
Variable Bilateral Wrenches	37
Multi-Angle Wrenches	39
Adjustable Ratchet Action Wrench	40
Immersion Wrench	41
Basin Wrench Claw	42



43	FIREJET Blow Torch
46	Heat Stop Compound
47	Burn Mats
49	Drain Buddy
51	Pipe Bending Machine
53	Tube Bender
54	Tube Bender Carry Bag
55	Mini Tube Bender
56	Versa-Funnel
57	Jet Swets
59	Pow-R Wrap
61	Pow-R Patch
62	Pow-R Steel
63	Hacksaw
64	Plumber's Level
65	Utility Knife
67	Manometer
68	Suction Gun
A-Z Index	
Product Code Index	

OTHER TOOLS...

COPPER TUBE CUTTERS



We asked plumbers: *What do you want from a tube cutter?*

The most common request was to come up with a design that was easier to grip, plus a cutter that doesn't require super strength to get the cut started!

We took onboard your feedback and began looking very hard at the internal geometry of the cutter together with the cutting edge of the wheel. Choosing the right combination allowed us to decrease wheel/roller loading which extends the life of the cutting wheel. The end result is a cutter that effects a precise, burr free cut that is easy to use with an all round superior performance. ”

Fast, clean cuts leave pipe virtually burr free

Self adjusting and self locking

Unique anti-slip grip

Spare cutting wheels available separately



NT2028
Copper
Tube Cutter
28mm

NT2015
Copper
Tube Cutter
15mm

NT2022
Copper
Tube Cutter
22mm

COPPER TUBES

Spare wheel
code:
NT047158P

RATCHET ACTION COPPER TUBE CUTTERS



This unique tube cutter operates by allowing the internal cutting head mechanism to rotate within its hard composite shell.

It sits comfortably in the palm of your hand and its ergonomic shaped casting combines maximum functionality with minimal grip.

Its handy design means it can easily be stripped down for routine oiling and maintenance. As with all cutters, we highly recommend that you avoid cutting pipes that are coated in paint or flux. ”



The Ratchet Action Copper Tube Cutters have an automatic action that allows for constant hand grip on the tool whilst cutting . Fast, clean cuts. Easy to replace cutting wheels. Ergonomic design and smooth operation limiting risk of hand fatigue. Patented design.



NT3015
Ratchet Action
Copper Tube Cutter
15mm

NT3022
Ratchet Action
Copper Tube Cutter
22mm

COPPER TUBES

*Spare wheel
code:*

NT453015

ADJUSTABLE RATCHET ACTION COPPER / INOX / PLASTIC



When asked: “How do you cut pipes that are difficult to access or close to a wall?”... 9/10 plumbers said they use a pipe cutter and a pair of grips.

Never again thanks to our **Adjustable Ratchet Action Tube Cutters.**

They come complete with a wheel for cutting copper tubing. A hardened wheel specially designed to cut stainless steel tubing is available and can be purchased separately. In addition to this we now offer an increased diameter wheel made to cut plastic and multilayer tubes (NT4067 only).”

The internal cutting mechanism rotates independently from body making it ideal for working in confined spaces.

The ergonomic handle is designed for single hand operation and requires low effort to operate. Built in foldable reamer for removing burrs (NT4023 & NT4035 only). Patented design.

C / MULTILAYER TUBE CUTTERS

NT4035

Adjustable Ratchet Action
Copper /Inox Tube Cutter
12-35mm

NT4023

Adjustable Ratchet Action
Copper /Inox Tube Cutter
6-23mm



NT4067

Adjustable Ratchet Action
Copper/ Inox/ Plastic/
Multilayer Tube Cutter
35-67mm

NT4028

Adjustable Ratchet Action
Copper /Inox Tube Cutter
8-28mm

COPPER TUBES

Spare wheel
code:
NT624818

INOX S/S TUBES

Spare wheel
code:
NT624819

PLAS / MULTILAYER TUBES

Spare wheel
code:
NT624825P

N/A for
NT4023
NT4028
NT4035

‘RAPTOR’ PLASTIC AND MULTILAYER TUBE



Our market leading Raptor cutters are made from magnesium alloy, providing exceptional strength without the excessive weight.

The blades are simple and easy to change taking an average time of only **8-10** seconds to replace, thanks to the built-in ‘ICS’ feature! ”

These ultra precise cutters can slice through a pipe with minimal effort and no snagging. Their stainless steel blades are TEFLON® coated and are engineered by the reknowned *Solingen Blade Co*, in Germany.



Indirect cutting mechanism cuts with precise, minimal effort.

ICS (Instant Change System) - no tools required to replace blade.

Cushion comfort rubber grip (NT5042, NT5050, NT5063 only)

Blades ‘park’ within cutting head to prevent injury or blade damage.

CUTTERS

NT5050

**'Raptor' Ratchet Action Plastic
& Multilayer Tube Cutter
50mm**

Spare blade code:
NT5003-1

NT5063

**'Raptor' Ratchet Action Plastic
& Multilayer Tube Cutter
63mm**

Spare blade code:
NT5004-1



**MADE IN
SPAIN**

NT5035

**'Raptor' Plastic and
Multilayer Tube Cutter
35mm**

Spare blade code:
NT5001-1

NT5026

**'Raptor' Plastic and
Multilayer Tube Cutter
26mm**

Spare blade code:
NT5005-1

NT5042

**'Raptor' Ratchet Action Plastic
& Multilayer Tube Cutter
42mm**

Spare blade code:
NT5002-1

ADJUSTABLE COPPER / INOX / ALUMINIUM / PLAS



All our adjustable Copper / Inox / Plastic / Multilayer /
Aluminium Tube Cutters include our ICS (instant change system)

- No tool required to replace a cutting wheel!

All models include a spare wheel contained within the handle.

/ MULTILAYER TUBE CUTTER



NT4230

**Adjustable
Copper / Inox
Tube Cutter
3-30mm**

COPPER TUBES

*Spare wheel
code:*

NT6001-1

INOX S/S TUBES

*Spare wheel
code:*

NT6001-3

**MADE IN
SPAIN**



Our smallest (3-30mm) **Adjustable Tube Cutter** has two hardened rollers which securely grip the tube and give a fast, clean cut.

It features a spare cutting wheel, stored within the adjustment handle and its ICS (instant change system) allows you to replace the cutting wheel without any tools. The compact design makes it feel comfortable in the palm and easy to use. ”

ADJUSTABLE COPPER / INOX / ALUMINIUM / PLAS



NT4245

**Adjustable Copper/
Inox/ Aluminium/ Plastic/
Multilayer Tube Cutter
3-45mm**

NT4235

**Adjustable Copper/
Inox/ Aluminium/ Plastic/
Multilayer Tube Cutter
3-35mm**

COPPER TUBES

*Spare wheel
code:*
NT6001-1

INOX S/S TUBES

*Spare wheel
code:*
NT6001-3

PLAS/MUL TUBES

*Spare wheel
code:*
NT6007-1



Our medium sized (3-35mm and 3-45mm) **Adjustable Tube Cutters** each have four hardened rollers for secure, clean tube cutting. They have a built in professional 'Noga' reamer, allowing for left or right hand use. The telescopic adjustment is designed to be both smooth and precise. Includes a spare cutting wheel stored within the handle. ”

5 Year Guarantee - Conditions apply

/ MULTILAYER TUBE CUTTER



NT4267

**Adjustable Copper/
Inox/ Aluminium/ Plastic/
Multilayer Tube Cutter
6-67mm**

**MADE IN
SPAIN**

COPPER TUBES

*Spare wheel
code:*

NT6005-1

INOX S/S TUBES

*Spare wheel
code:*

NT6005-3

PLASIMUL TUBES

*Spare wheel
code:*

NT6017-1



Our larger sized (6-67mm) **Adjustable Tube Cutter** has four hardened rollers for secure and clean tube cutting. They have a quick release system for lightning fast adjustment. Plastic / Multilayer and Inox cutting wheels can be purchased separately. ”

ADJUSTABLE COPPER / INOX / ALUMINIUM / PLAS



NT4276

**Adjustable Copper/
Inox/ Aluminium/ Plastic/
Multilayer Tube Cutter
6-76mm**



COPPER TUBES

*Spare wheel
code:*
NT6005-1

INOX S/S TUBES

*Spare wheel
code:*
NT6005-3

PLAS/MUL TUBES

*Spare wheel
code:*
NT6017-1



Our largest sized Tube Cutter comes complete with a built in 'Noga' reamer. Its huge cutting width of 76mm and its four hardened steel rollers make it the preferred choice of commercial engineers. The rapid adjustment feature makes it a breeze to alter the diameter setting. Comes complete with a spare wheel in the handle. ”

5 Year Guarantee - Conditions apply

“

The 'Noga' reamer can be used as either in the cutter body or can be totally removed and used separately. This feature is particularly useful when deburring pipework that is already in situ."



CORRUGATED STAINLESS STEEL TUBE CUTTER



NTCSST1

Corrugated Stainless Steel Tube Cutter

Cuts Sizes:

DN12, DN15, DN22,
DN28 & DN32



Our **Corrugated Stainless Steel Tube Cutter** is equipped with upper and lower rollers that are constructed from a material that will not damage either the tube or the tube coating.

INOX SIS TUBES

Spare wheel
code:

NTCSST1-1



The unique roller configuration guarantees that both ends of the tube are held firmly until the cut is complete. This ensures that no 'tags' remain on the mating surface of the pipe prior to assembly.

Its yellow "ochre" handle denotes that this cutter is designed for use within the gas industry. Comes with a spare wheel within the handle. Also capable of cutting solar heating pipework."

RAPID ADJUSTABLE CORRUGATED STAINLESS STEEL TUBE CUTTER

NT4276CSST

Rapid Adjustable
Corrugated
Stainless Steel
Tube Cutter



INOX S/S TUBES

Spare wheel:

NT4276CSST-2

- Complete with hardened wheel and non-grooved rollers
- Cuts all sizes of corrugated steel pipe up to DN50
- Rollers designed to prevent damage to tube
- Adjustable rapid cutting action

COMMERCIAL / INDUSTRIAL SIZE PIPE CUTTER

NT42170

100-170mm

**Commercial/ Industrial
Size Pipe Cutter**



NT42127

50-127mm

**Commercial/ Industrial
Size Pipe Cutter**

**Adjustable supporting wheel to prevent
pipe 'flattening' whilst cutting**



- Cuts pipes up to 127mm (NT42127) and 170mm (NT42170)
- Comes complete with a copper cutting wheel
- Spare cutting wheels available for inox, multilayer and plastic tubes
- Rapid size adjustments



DRAIN PIPE CUTTING & CHAMFERING TOOL

NTDPCCT2

Drain Pipe Cutter
160mm

NTDPCCT1

Drain Pipe Cutter
110mm



For the drainage engineers amongst you, our **Drain and Soil Pipe Cutting and Chamfering** tool will be a welcome addition to your arsenal. Combining two operations: it firstly cuts the pipe and secondly, chamfers its end. Never again will you have to worry about dislodging an “O” ring during installation! ”

Can be used freehand, attached to a vice or clamp. Rugged design with replaceable heavy duty cutting blades. Tool automatically clamps to pipe to prevent movement during cutting/chamfering.



**Inserts (as seen
above) available
separately**



Our cutters are available in two frame sizes. Each have additional inserts available separately to allow a vast array of different sized pipework to be cut. The inserts come in two halves and securely clip into both parts of the outer frame. Details on request.”

MAX TC TUBE CUTTERS



Our range of steel frame **Max TC Tube Cutters** are designed for use with larger tube sizes. The handle incorporates a sprung-loaded system that improves the cut and increases the life of the cutting wheels.

They include an ICS (Instant Change System) meaning the cutting wheels can be easily changed, with no tools required. For increased cutting performance, these Tube Cutters can be assembled with three cutting wheels.”



NT4605

Max TC Tube Cutter

Max tube wall thickness: **10mm**

Tube diameter: **60-114mm**

Spare blade code:

NT4605-1

NT4601

Max TC Tube Cutter

Max tube wall thickness: **5.5mm**

Tube diameter: **10-42mm**

Spare blade code:

NT4601-1

NT4603

Max TC Tube Cutter

Max tube wall thickness: **7mm**

Tube diameter: **10-60mm**

Spare blade code:

NT4603-1

OLIVE CUTTERS



NTOLV15

Olive Cutters
15mm

NTOLV22

Olive Cutters
22mm

**MADE IN
the UK**



Our high quality **Olive Cutters** are incredibly easy to use, thanks to their parallel twin cutting blades. They are the fastest and easiest way to remove brass and copper olives. Leaves the pipe virtually unblemished and ready for the next fitting. ”



SPARE CUTTING WHEELS



COPPER TUBE CUTTERS

TUBE TYPE	FOR MODELS	CODE
Copper	NT2015, NT2022, NT2028	NT047158P

RATCHET ACTION TUBE CUTTERS

TUBE TYPE	FOR MODELS	CODE
Copper	NT3015, NT3022	NT453015
Copper	NT4023, NT4028, NT4035, NT4067	NT624818
Inox	NT4023, NT4028, NT4035, NT4067	NT624819
Plas / Multilayer	NT4067	NT624825P


ADJUSTABLE TUBE CUTTERS

TUBE TYPE	FOR MODELS	CODE
Copper	NT4230, NT4235, NT4245	NT6001-1
Copper	NT4267	NT6005-1
Inox	NT4230, NT4235, NT4245	NT6001-3
Inox	NT4267, NT4276	NT6005-3
Plas / Multilayer	NT4235, NT4245	NT6007-1
Plas / Multilayer	NT4267, NT4276	NT6017-1

ALWAYS USE GENUINE NERRAD SPARES

SPARE CUTTING WHEELS

KEY

COPPER TUBES			PLASTIC / MULTILAYER TUBES
INOX TUBES			CORRUGATED STAINLESS STEEL

MAX TC TUBE CUTTERS

TUBE TYPE	FOR MODELS	CODE
Inox	NT4601	NT4601-1
Inox	NT4603	NT4603-1
Inox	NT4605	NT4605-1

CORRUGATED STAINLESS STEEL TUBE CUTTERS

TUBE TYPE	FOR MODELS	TUBE SIZES	CODE
Corrugated Stainless Steel	NTCSST1	DN12, DN15, DN22, DN28, DN32	NTCSST1-1
Corrugated Stainless Steel	NT4276CSST	All sizes up to and including DN50	NT4276CSST-2

COMMERCIAL/ INDUSTRIAL TUBE CUTTERS

TUBE TYPE		FOR MODELS	TUBE THICKNESS	CODE
Copper	Inox	NT42127, NT42170	Up to 6mm	NT7402-1
Plas / Multilayer		NT42127, NT42170	Up to 11.8mm	NT7403-1
			Up to 16.8mm	NT7404-1
			Up to 19.8mm	NT7405-1
			Up to 27.8mm	NT7406-1

ALWAYS USE GENUINE NERRAD SPARES

SPARE RAPTOR BLADES



RAPTOR PLASTIC AND MULTI-LAYER TUBE CUTTERS

TYPE	FOR MODEL	CODE
Teflon Spare Blade	NT5026	NT5005-1
Teflon Spare Blade	NT5035	NT5001-1
Teflon Spare Blade	NT5042	NT5002-1
Teflon Spare Blade	NT5050	NT5003-1
Teflon Spare Blade	NT5063	NT5004-1

ALWAYS USE GENUINE NERRAD SPARES

SUPERWIDE NERRAD ADJUSTABLE WRENCHES

XTRA SLIM AND STANDARD JAW

MADE IN
SPAIN



No plumber's tool kit is complete without a set of our precision engineered adjustable wrenches. The jaw surfaces are machined flat and are perfectly parallel, ensuring no slippage takes place even when subjecting the wrench to extreme loading. The two component rubber grip gives maximum user comfort at all times."

CRV construction with ErgoTop™ rubber grip.

Precision ground jaws. Available in 6" and 8" length. Both sizes can be purchased with either standard jaw or Xtra slim jaw configuration.

STANDARD



NTSWO8

**Adjustable Superwide
Opening Wrench 8"**

Max jaw width: 39mm

NTSWO6

**Adjustable Superwide
Opening Wrench 6"**

Max jaw width: 34mm

XTRA SLIM



NTSWO8XS

**Adjustable Superwide
Opening Wrench
XTRA SLIM 8"**

Max jaw width: 39mm

NTSWO6XS

**Adjustable Superwide
Opening Wrench
XTRA SLIM 6"**

Max jaw width: 34mm

MINI ADJUSTABLE WRENCH

NTSWOMINI

Mini Adjustable Wrench

Length: **4"**

Max jaw width: **18mm**



Our precision engineered **Adjustable Mini Wrench** is designed for working in tight spaces and has the largest jaw width in its class. Made from CRV steel, our little wrench may be small - but it certainly means business! Ideal for use on drain valves and internal boiler fittings. ”

SUPERWIDE ADJUSTABLE WRENCH

MADE IN
JAPAN


NTMW68A

Superwide (Medium Duty)

Adjustable Wrench

Length: 8"

Max jaw width: 68mm



Our medium duty **Superwide Adjustable Wrenches** are manufactured from AD12 aluminium, making them light weight yet durable. Its adjustable 68mm wide jaw is designed for: siphon nuts, drop valve nuts and waste fitting nuts. ”

NOTE: THIS WRENCH MUST NOT BE STRUCK OR USED IN CONJUNCTION WITH AN EXTENSION BAR TO INCREASE LEVERAGE.



SELF-LOCKING HEAVY DUTY HAWK WRENCHES



Our **Self-Locking Hawk Wrenches** have an immense jaw grip thanks to their 'Three points of contact' configuration.

We offer the full range of cast iron and aluminium models. Because of the spring loaded jaws, these wrenches actually incorporate a ratchet mechanism, allowing you to leave the tool on the pipe whilst loosening/tightening. ”



Powerful triple point grip.

Self-locking jaws, no size adjustment necessary.

Spring loaded jaws enable a fast, positive ratchet action.

High strength, CRV steel jaws prevent slippage.

Self-locking Cast Iron Hawk Wrenches

NT6010

Handle: 10"

Jaw width:

34mm

NT6014

Handle: 14"

Jaw width:

49mm

NT6018

Handle: 18"

Jaw width:

60mm

Self-locking Aluminium Hawk Wrenches

NT6118

Handle: 18"

Jaw width:

60mm

NT6114

Handle: 14"

Jaw width:

49mm

NT6110

Handle: 10"

Jaw width:

34mm



CAST IRON

ALUMINIUM

VIPERGRIP PUMP PLIERS

NTVPRG3SET

ViperGrip Pump Pliers

Set of 3

NTVPRG300

ViperGrip Pump Pliers

Length: 12"

Max jaw width: 75mm

NTVPRG240

ViperGrip Pump Pliers

Length: 10"

Max jaw width: 55mm

NTVPRG180

ViperGrip Pump Pliers

Length: 7"

Max jaw width: 43mm



We asked fellow plumbers: What could we do with our Pump Pliers to make your life that little bit easier?

Although there wasn't much to improve, the one request was for an adjustment that would never slip. "

ViperGrip Pump Pliers are available in 3 sizes: 7" 10" & 12".

Slim jaw design with push button adjustment.

Perfect for working in and around boilers, pump valves, nuts and unions in awkward positions.



As a result, we came up with a 'push button' design which allows for precise, fine increments. We're pleased with them and believe that you will be too."

VARIABLE BILATERAL WRENCHES

DESIGNED TO GRIP, NOT SCRATCH!



Our Variable Bilateral Wrenches (VBW's) are possibly our flagship tool. They are without doubt one of the most innovative products to ever hit the plumbing market making them an absolute must for all engineers."

Available in 3 sizes, 8" 10" & 12"

Can be used on anything from seized rusty nuts to gold plated fittings, without fear of damaging them.

Jaws are consistently parallel in every adjustment position.



Their immense grip is provided by a 10:1 force ratio from the handles to the jaws giving the user 100% confidence when using this tool. In addition, they incorporate a 'ratchet' type action allowing you to release the handles slightly on the return stroke without removing the jaws from the fitting.

NTVBW315

Variable Bilateral Wrench

Length: **12"**

Max jaw width: **60mm**



**MADE IN
GERMANY**



NTVBW310

Variable Bilateral Wrench

Length: **10"**

Max jaw width: **46mm**

NTVBW305

Variable Bilateral Wrench

Length: **8"**

Max jaw width: **36mm**

MULTI-ANGLE WRENCH



NTMAW10

**Multi-Angle
Wrench**

Handle: 10"

Jaw width: 53mm



Our versatile **Multi-angle Wrenches** are manufactured from CRV with a lightweight aluminium handle.

Its adjustable handle and jaw is designed for working around difficult corners and features 10 lockable angle positions."



5 Year Guarantee - Conditions apply

ADJUSTABLE RATCHET ACTION WRENCH



NTMWR36

**Adjustable Ratchet
Action Wrench**


Handle: 10"

Jaw width: 0-36mm

**MADE IN
JAPAN**



Our **Adjustable Ratchet Action Wrench** has a slim jaw design coupled with extra wide 36mm jaw width. It has a unique ratchet action and its ergonomic anti-slip handle gives a comfortable hand grip."



IMMERSION WRENCH



NTIMMW

**Immersion
Wrench**


**MADE IN
the UK**



Our solid cast **Immersion Wrenches** are designed to be struck to shock the heating elements loose from a cylinder. Care must be taken though to not damage the cylinder neck. But you guys already know that! ”

Lifetime Guarantee

BASIN WRENCH-CLAW TYPE



NTBSNWRH

Basin Wrench-Claw Type

Jaw sizes: 1/2" and 3/4"



Should you ever come across one of those old corner basins that require a tap change, then the only tool able to reach the backnuts/tap swivels is this Basin Wrench.

An essential piece of plumber's kit! "

**MADE IN
the UK**

Our Basin Wrench-Claw Type has 2
ultra thin sized jaws, enabling quick access to
awkward backnuts and tap swivels.



FIREJET



FIREJET BLOW TORCH



What can we say about our new FIREJET Blowtorch other than... **WOW!** We've improved upon a classic design to include some all important features and enhance it's usability...

First of all, we've added a nozzle that can be stripped down to give instant access to the diffuser. Should you be unfortunate enough to drip solder or flux onto it, there's almost no down time as it can be removed, cleaned and re-assembled. However, should the diffuser be uncleanable then a new one can be purchased separately.



LOW THERMAL CONDUCTIVITY



Always handle with care and follow safety instructions

Secondly, no matter how careful you are, sometimes accidents do happen! The common one is to finish soldering, extinguish the flame and put the gas/torch back on the carpet...only to turn round and knock it over! No matter how quickly you realise and stand the bottle back up, it's too late and you've charred the customers carpet. Therefore, we've engineered our nozzles to not get too hot, thus avoiding this potentially unpleasant and costly mistake.

Finally let's talk gas bottle connections. Of course our torches will fit the industry standard CGA600 bottles but we've gone one step further. To accommodate environmentally friendly refillable bottles, our Blow Torch works with refillable cylinders. We could have simply offered an adaptor but come on guys...would you adapt a gas valve from one make of boiler to fit another by using adaptors? We rest our case."

FIREJET BLOW TORCH

Easy clean
servicable
diffuser



- Unique nozzle design minimises thermal conductivity for safer handling
- Non-corroding brass cylinder connections
- Two version of the FIREJET are available with connections for either:
Refillable or Disposable gas cylinders:



NTFJ500

**FIREJET Blow Torch
for Disposable Gas Cylinders**



NTFJ500R

**FIREJET Blow Torch
for Refillable Gas Cylinders**



HEAT STOP



MADE IN
the USA



NTHSCOMP



Heat Stop Compound

340g



Our phenomenal **Heat Stop** compound creates a thermal barrier, preventing transfer of heat along metallic pipes. It allows you to solder without fear of heat creeping along the pipe, causing possible damage to plastic fittings (A), or accidentally thawing ice plugs on frozen pipework (B).

Simply remove the compound from the pot and carefully mould around the circumference of the pipe. Position the compound between the heat source and the section of the pipe/fitting you want to protect from residual heat. Then solder away. It's non-toxic and can be used over and over again."



BURN MATS



Our flexible surround barriers (Burn Mats) are available for both MAPP and Propane gas use.

Their cut-out design allows them to be easily wrapped around a pipe, providing heat protection to surrounding surfaces.

Please ensure that you choose the correct type of mat and avoid using MAPP gas on a propane type burn mat. ”



NTSBMAPP

**Burn Protection
Surround Barrier
MAPP 12”**



**MADE IN
the UK**

PROPANE



NTSB2

**Burn Protection
Surround Barrier
PROPANE 12"**

NTSB1

**Burn Protection
Surround Barrier
PROPANE 10"**

NTSBMICRO

**Burn Protection
Surround Barrier
PROPANE 6"**

DRAIN BUDDY



NTDB150

Drain Assembly Tool

“Drain Buddy”

150mm (6”)

NTDB100

Drain Assembly Tool

“Drain Buddy”

100mm (4”)

**MADE IN
JAPAN**

Available in 100mm (4”) and 150mm (6”).
Constructed from corrosion resistant steel.
Non-slip rubber handle.



“

Here's a tool you don't see everyday, our labour saving **Drain Buddies!** Designed to take the stress and strain out of joining drain pipes and fittings together, especially within trenches.

It works by harnessing the leverage placed on the handle and cleverly multiplies it through a series of strategically placed pivot points.”



PIPE BENDING MACHINE

NTTB152228

Pipe Bending Machine

**MADE IN
UK**



Our new **Pipe Bending Machine** is the only way for you to bend large diameter pipes. Perfect on site and easy to set up and dismantle. ”

“

Folds down into an easily transportable size. Guides clip onto the frame and steel pins prevent frame from unlocking whilst in transit. ”



28mm
Former and Guide

22mm
Former and Guide

15mm
Former and Guide



35mm
Former and Guide

AVAILABLE SEPARATELY

TUBE BENDER



Our quality **Tube Benders** are the perfect addition to any plumbers kit. They allow you to quickly and easily bend tubes on the go. Guides and formers are fully machined and not cast. Proudly made in the UK, this reliable tool yields a ripple free bend every time."

TUBE BENDER CARRY BAG

NTTBAG

Tube Bender
Carry Bag



Our smart **Tube Bender Bag** is designed with the organised engineer in mind. Constructed from heavy duty materials it not only holds our Tube Bender, but has additional internal pockets for storing the Bender guides as well as other tools and sundries. Comes complete with shoulder strap.”

NTTB1522B
Tube Bender
15mm and 22mm
with Carry Bag



MINI TUBE BENDER

NTTBMINI

Mini Tube Bender

Bends Pipe Sizes:

$\frac{3}{8}$, $\frac{1}{4}$, $\frac{3}{16}$ + $\frac{5}{16}$



“

Our awesome **Mini Tube Benders** have a revolutionary sliding guide bed. Designed to easily bend small bore copper tubes in confined spaces. The forward facing guide and formers are a unique feature of this compact tool.”

2 Year Guarantee - Conditions apply



NTVSF1
Versa-Funnel



Our unique **Versa-Funnel** is formable into virtually any shape to suit numerous applications. Helps contain those nuisance drips when working on: radiators, draining cylinders and is especially useful to boiler engineers for catching or diverting water away from PCB's... preventing a costly mistake.

Manufactured from flexible aluminium and covered with high grade nitrile rubber, this product is for use with virtually all liquids including oils and can withstand extreme water temperatures. ”

JET SWET - WATER FLOW PREVENTION

"Jet Swet"™


MADE IN
THE USA



Our “**Jet Swet**” **Water-Flow Prevention Device** is designed to temporarily isolate the flow of water in pipes to allow you to work on the removal, refitting or soldering of valves or fittings.


They can hold up to 75 PSI of pressure allowing heavy duty work to be carried out. You can stem the flow from a tank downservice whilst removing/replacing the gate valves. Or in central heating, you can temporarily isolate the feed and expansion downservice pipe.

Jet Swet's come in sizes from: 15-150mm. The 15mm, 22mm and 28mm's are stock items, but larger sizes are available to order. ”



DEVICE

HOLDS UP TO 75 PSI
WATER PRESSURE



NTJS28

**Jet Swet Tool
28mm**

Replacement Gaskets:

NTJS15RG - 15mm

NTJS22RG - 22mm

NTJS28RG - 28mm


NTJS1522

**2 x Jet Swet Tools
15mm + 22mm**

POW-R WRAP REPAIR SYSTEM



“**Pow-R Wrap**” is an industrial strength, permanent and economical repair kit. It is effective on virtually every kind of pipe (including fluid bearing pipes). It's an easy alternative to traditional methods such as: cementing, soldering, welding, sleeving and replacement. Works on wet, dry, clean, dirty or corroded pipes - even under water!”



Simple to apply:

Just relieve pressure from the pipe and wet bandage for 30 seconds whilst still in the foil pouch. Then remove from the pouch and wrap over the leak in the pipe, moving in *ONE* direction only.

Leave to dry for approximately 30 minutes to effect a permanent repair. Be sure to wear the enclosed gloves at all times when carrying out the repair.

NOTE: Pow-R Wraps can also be used on pipes conveying gas but are NOT for use with natural gas or LPG due to current regulations.



MADE IN
the USA



NTPW260

**Pow-R Wrap
Repair System**

(Bandage Size: **2"x60"**)
For Pipes: **1-2"**

NTPW3108

**Pow-R Wrap
Repair System**

(Bandage Size: **3"x108"**)
For Pipes: **2-4"**

NTPW4180

**Pow-R Wrap
Repair System**

(Bandage Size: **4"x180"**)
For Pipes: **4-6"**

Extra sizes available: **NTPW4360** (for pipes: 6-8") and **NTPW872** (for extra wide pipes).

NOTE: Custom made sizes available on request.

POW-R PATCH REPAIR KIT



NTPP88

Pow-R Patch

Size: 8"x 8"



NTPP46

Pow-R Patch

Size: 4"x 6"



- Cures hard in 15 minutes
- Sets under water

**MADE IN
the USA**

HOW TO USE:

1. Remove all pressure from the break and lightly key the surface.
2. Put on the enclosed gloves.
3. Remove the (black / yellow) plastic divider separating the 2 parts of the package.
Mix both parts together for 1-2 minutes or until colour is uniform.
4. Cut the package and apply the Pow-R Patch.
5. Allow 15 minutes for complete curing.

Package comes
in 2 parts: a catalyst
and the patch with
resin



POW-R STEEL PUTTY



NTPS412

Pow-R Steel

4 oz



NTPS224

Pow-R Steel

2 oz

**MADE IN
the USA**

- **Steel reinforced epoxy putty**
- **Cures steel-hard in 2 minutes**
- **Sets under water**
- **For: Pipe, Plumbing, Vehicle, boat or home repairs**



HOW TO USE:


1. Clean and lightly key the bond area prior to application.
2. Wearing safety gloves, twist / cut or break off desired amount of Pow-R Steel.
3. Knead so it is a uniform grey, free from black specs.
4. Apply putty ensuring parts are in position before hardening begins (2 mins).
5. After 1 hour of hardening, the Pow-R Steel can be drilled, filed, tapped or machined.

HACKSAW

MADE IN
FRANCE

NTHS300

**High Tension Hacksaw
300mm**



Our premium, high tension **Hacksaw** is designed for use by professionals. Quick and easy to change the blade. Comes with a 24TPI blade. Tension adjustment within the handle. Nose of the saw is specifically weighted to help the user achieve perfect cuts everytime. ”

PLUMBER'S LEVEL



NTPLVL1

**Aluminium Torpedo
Plumber's Level**



Our **Plumber's Level** is expertly machined from a single piece of high grade aluminium, making it hard-wearing and reliable. It comes fitted with 4 extra strong, oversized earth magnets for use on magnetic surfaces."

Five planes of measuring: 30°, 45° and 90° - horizontal & vertical, plus a bullseye level. Adjustable strap allows for 'hands free' use on non-magnetic surfaces, even plastic pipes.

Replaceable spare vials available separately (codes on request).

Lifetime Guarantee - Conditions Apply.

UTILITY KNIFE



NTULT1
Retractable Utility
Knife

MADE IN
SPAIN



Our **Retractable Utility Knife** is a premium tool with easy opening. The interior has a magnet which holds the blade in place and the internal blade container can store up to 10 spare blades.

Its sprung loaded ball bearings press on the side of the blade ensuring there is no movement whilst cutting. The tool comes complete with a safety case which can clip onto a belt and 2 x spare blades. ”



MANOMETER



NTUG30

**U-Guage
Manometer
30mb**

**MADE IN
the UK**

**The classic Nerrad U-Gauge Manometer
measures gas pressure up to 30mb.**

Sturdy plastic case.

'BIG GULP' SUCTION GUN



'Big Gulp'
Suction Gun



Sucks out the annoying dregs from WC cisterns, catchment bowls, tanks, pipes and cylinders.....in fact anything at all that needs draining out!!"

AVAILABLE
SOON

Solid ABS construction with brass fittings. Tube has a capacity of 0.6L. Includes flexible hose and a detachable brass 'bell' to enable entry into small diameter pipework. This tool will prove to be worth it's weight in gold.

Adjustable Mini Wrench	31
Adjustable Ratchet Action Tube Cutters	7, 8
Adjustable Ratchet Action Wrench	40
Adjustable Superwide Nerrad Wrenches - Standard & Xtra Slim	29, 30
Adjustable Superwide Wrench 68mm	32
Adjustable Tube Cutters	11 - 16
Basin Wrench Claw Type	42
Benders - Tube Benders	51-55
Blow Torch - FIREJET	43, 44, 45
Burn Mats - Protection Surround Barriers	47, 48
Big Gulp - Suction Gun	68
Claw Type - Basin Wrench	42
Commercial, Industrial Size Pipe Cutters	19, 20
Copper Tube Cutters	3, 4
Corrugated Stainless Steel Tube Cutters	17
Drain Assembly Tool (Drain Buddy)	49, 50
'Drain Buddy'	49, 50
Drain & Soil Pipe Cutters	21, 22
FIREJET Nerrad Blow Torch	43, 44, 45
Floor Bender (Pipe Bending Machine)	51, 52
Funnel - Versa	56
Gaskets for Jet Swets	58
Hacksaw 300mm	63
Hawk Wrenches - Self-locking Iron/Aluminium	33, 34
Heat Stop Compound 340g	46
Immersion Wrench	41
Industrial, Commercial Size Pipe Cutters	19, 20
Jet Swet Tools	57, 58
Knife - Retractable Utility Knife	65, 66
Manometer - U-Guage	67
MAPP Burn Mats	47, 48
Max TC Tube Cutters	23, 24
Mini (Adjustable) Wrench	31
Mini Tube Bender	55
Multi-Angle Wrench	39
Olive Cutters	25

PRODUCT	PAGE NO
Pipe Bending Machine	51, 52
Pipe Cutters - Industrial, Commercial Size	19, 20
Plastic & Multilayer Tube Cutters - Raptors	9, 10
Plumber's (Torpedo) Level	64
Pow-R Patch - Repair Kit	61
Pow-R Steel - Repair Putty	62
Pow-R Wrap - Repair Bandage	59, 60
Propane Burn Mats	47, 48
Protection Surround Barriers - Burn Mats	47, 48
Pump Pliers - ViperGrips	35, 36
Rapid Adjustable Corrugated Stainless Steel Tube Cutters	18
Raptors - Plastic & Multilayer Tube Cutters	9, 10
Ratchet Action Copper Tube Cutters	5, 6
Repair Products	59 - 62
Retractable Utility Knife	65, 66
Self-locking Iron/Aluminium Hawk Wrenches	33, 34
Soil (& Drain) Pipe Cutters	21, 22
Spare Cutting Wheels	26, 27
Spare Raptor Blades	28
Stainless Steel (Corrugated) Tube Cutters	17, 18
Stick-O-Steel (Pow-R Steel)	62
Suction Gun - Big Gulp	68
Superwide Adjustable Wrench 68mm	32
Superwide Nerrad Adjustable Wrenches - Standard & Xtra Slim	29, 30
Torpedo - Plumber's Level	64
Tube Bender (& Guides)	53
Tube Bender Carry Bag	54
Tube Cutters	3-24
U-Guage - Manometer	67
Utility Knife	65, 66
Variable Bilateral Wrenches	37, 38
Versa-Funnel	56
ViperGrip Pump Pliers	35, 36
Water Flow Prevention Device - Jet Swets	57, 58
Wide Jaw Light Duty Aluminium (Superwide) Wrench 68mm	32
Wrenches	29-42

NERRAD CODE	PRODUCT	PAGE NO
NT2015	Copper Tube Cutter 15mm	3, 4
NT2022	Copper Tube Cutter 22mm	3, 4
NT2028	Copper Tube Cutter 28mm	3, 4
NT047158P	Spare Cutting Wheel for: NT2015, NT2022, NT2028	3, 4, 26
NT3015	Ratchet Action Copper Tube Cutters 15mm	5, 6
NT3022	Ratchet Action Copper Tube Cutters 22mm	5, 6
NT4023	Adjustable Ratchet Action Copper /Inox Tube Cutter 6-23mm	7, 8
NT4028	Adjustable Ratchet Action Copper /Inox Tube Cutter 8-28mm	7, 8
NT4035	Adjustable Ratchet Action Copper /Inox Tube Cutter 12-35mm	7, 8
NT4067	Adjustable Ratchet Action Copper/ Inox/ Plastic/ Multilayer Tube Cutter 35-67mm	7, 8
NT624818	Spare Cutting Wheel (Copper) for: NT4023, NT4028, NT4035, NT4067	7, 8, 26
NT624819	Spare Cutting Wheel (Inox/ Stainless Steel) for: NT4023, NT4028, NT4035, NT4067	7, 8, 26
NT624825P	Spare Cutting Wheel (Plastic/ Multilayer) for NT4067	7, 8, 26
NT453015	Spare Cutting Wheel for: NT3015 and NT3022	5, 6, 26
NT4230	Adjustable Copper / Inox Tube Cutter 3-30mm	12
NT4235	Adjustable Copper/ Inox/ Aluminium/ Plastic/ Multilayer Tube Cutter 3-35mm	13
NT4245	Adjustable Copper/ Inox/ Aluminium/ Plastic/ Multilayer Tube Cutter 3-45mm	13
NT4267	Adjustable Copper/ Inox/ Aluminium/ Plastic/ Multilayer Tube Cutter 6-67mm	14
NT4276	Adjustable Copper/ Inox/ Aluminium/ Plastic/ Multilayer Tube Cutter 6-76mm	15, 16, 26
NTCSST1	Corrugated Steel Tube Cutters	17
NT4276CSST	Rapid Adj Corrugated Stainless Steel Tube Cutter	18
NT42127	Commercial, Industrial Size Pipe Cutter 50-127mm	19, 20
NT42170	Commercial, Industrial Size Pipe Cutter 100-170mm	19, 20
NT6001-1	Spare Cutting Wheel (Copper) for: NT4230, NT4235, NT4245	12, 13, 26
NT6005-1	Spare Cutting Wheel (Copper) for: NT4267	14, 15, 26
NT6001-3	Spare Cutting Wheel (Inox/ Stainless Steel) for: NT4230, NT4235, NT4245	12, 13, 26
NT6005-3	Spare Cutting Wheel (Inox/ Stainless Steel) for: NT4267, NT4276	14, 15, 26
NT6007-1	Spare Cutting Wheel (Plastic/ Multilayer) for: NT4235, NT4245	13, 26
NT6017-1	Spare Cutting Wheel (Plastic/ Multilayer) for: NT4267, NT4276	15, 26
NTCSST1-1	Spare Cutting Wheel for: NTCSSST1	17
NT4276CSST-2	Spare Cutting Wheel for: NT4276CSST	18
NT7402-1	Spare Cutting Wheel for: NT42127/NT42170 - up to 6mm	27
NT7403-1	Spare Cutting Wheel for: NT42127/NT42170 - up to 11.8mm	27
NT7404-1	Spare Cutting Wheel for: NT42127/NT42170 - up to 16.8mm	27
NT7405-1	Spare Cutting Wheel for: NT42127/NT42170 - up to 19.8mm	27
NT7406-1	Spare Cutting Wheel for: NT42127/NT42170 - up to 27.8mm	27
NT4601	Max TC Tube Cutter Max Tube Wall Thickness: 5.5mm / Tube Diameter: 10-42mm	23, 24
NT4603	Max TC Tube Cutter Max Tube Wall Thickness: 7mm / Tube Diameter: 10-60mm	23, 24
NT4605	Max TC Tube Cutter Max Tube Wall Thickness: 10mm / Tube Diameter: 60-114mm	23, 24
NT4601-1	Max TC Spare Blade for NT4601	23, 24, 27
NT4603-1	Max TC Spare Blade for NT4603	23, 24, 27
NT4605-1	Max TC Spare Blade for NT4605	23, 24, 27
NT5026	'Raptor' Plastic and Multilayer Tube Cutter 26mm	9, 10
NT5035	'Raptor' Plastic and Multilayer Tube Cutter 35mm	9, 10
NT5042	'Raptor' Ratchet Action Plastic & Multilayer Tube Cutter 42mm	9, 10
NT5050	'Raptor' Ratchet Action Plastic & Multilayer Tube Cutter 50mm	9, 10
NT5063	'Raptor' Ratchet Action Plastic & Multilayer Tube Cutter 63mm	9, 10
NT5005-1	Spare Cutting Blade for: NT5026	10, 26
NT5001-1	Spare Cutting Blade for: NT5035	10, 26
NT5002-1	Spare Cutting Blade for: NT5042	10, 26
NT5003-1	Spare Cutting Blade for: NT5050	10, 26
NT5004-1	Spare Cutting Blade for: NT5063	10, 26
NTMWR36	Adjustable Ratchet Action Wrench 0-36mm / 10" Handle	40
NTMW68A	Superwide Adjustable Wrench Length: 8" / Max Jaw Width: 68mm	32
NTVBW305	Variable Bilateral Wrench Length: 8" / Max Jaw Width: 36mm	37, 38
NTVBW310	Variable Bilateral Wrench Length: 10" / Max Jaw Width: 46mm	37, 38

NERRAD CODE	PRODUCT	PAGE NO
NTVBW315	Variable Bilateral Wrench Length: 12" / Max Jaw Width: 60mm	37, 38
NTSWO6	Superwide Nerrad Adjustable Wrench 6" / Max jaw width: 34mm	29, 30
NTSWO8	Superwide Nerrad Adjustable Wrench 8" / Max jaw width: 39mm	29, 30
NTSWO6XS	Superwide Nerrad Adjustable Wrench Xtra Slim 6" / Max Jaw Width: 34mm	29, 30
NTSWO8XS	Superwide Nerrad Adjustable Wrench Xtra Slim 8" / Max Jaw Width: 39mm	29, 30
NTMAW10	Multi-Angle Wrench 10" Handle / 53mm Jaw Width	39
NTVPRG300	ViperGrip Pump Pliers Length: 12" / Max Jaw Width: 75mm	35, 36
NTVPRG240	ViperGrip Pump Pliers Length: 10" / Max Jaw Width: 55mm	35, 36
NTVPRG180	ViperGrip Pump Pliers Length: 7" / Max Jaw Width: 43mm	35, 36
NTVPRG3SET	ViperGrip Pump Pliers Set of 3	35, 36
NTBSNWRH	Basin Wrench Claw Type ½" and ¾" Jaw Sizes	42
NTSWOMINI	Mini Adjustable Wrench Length: 4" / Max Jaw Width: 18mm	31
NT6010	Self-locking Cast Iron Hawk Wrenches Jaw Width:34mm / Handle: 10"	33, 34
NT6014	Self-locking Cast Iron Hawk Wrenches Jaw Width:49mm / Handle: 14"	33, 34
NT6018	Self-locking Cast Iron Hawk Wrenches Jaw Width:60mm / Handle: 18"	33, 34
NT6110	Self-locking Aluminium Hawk Wrenches Jaw Width:34mm / Handle: 10"	33, 34
NT6114	Self-locking Aluminium Hawk Wrenches Jaw Width:49mm / Handle: 14"	33, 34
NT6118	Self-locking Aluminium Hawk Wrenches Jaw Width:60mm / Handle: 18"	33, 34
NTPW260	Pow-R Wrap Repair System (Bandage Size: 2"x60") For Pipes: 1-2"	59, 60
NTPW3108	Pow-R Wrap Repair System (Bandage Size: 3"x108") For Pipes: 2-4"	59, 60
NTPW4180	Pow-R Wrap Repair System (Bandage Size: 4"x180") For Pipes: 4-6"	59, 60
NTPP46	Pow-R Patch Repair Kit (4" x 6")	61
NTPP88	Pow-R Patch Repair Kit (8" x 8")	61
NTPS224	Pow-R Steel Repair Putty 2oz	62
NTPS412	Pow-R Steel Repair Putty 4oz	62
NTJS28	Jet Swet Tool 28mm	57, 58
NTJS1522	Jet Swet Tools (x2) 22mm + 15mm	57, 58
NTJS15RG	Jet Swet Replacement Gaskets 15mm	57, 58
NTJS22RG	Jet Swet Replacement Gaskets 22mm	57, 58
NTJS28RG	Jet Swet Replacement Gaskets 28mm	57, 58
NTULT1	Utility Knife (Retractable Pro Grade)	65, 66
NTPLVL1	Plumber's (Torpedo) Level	64
NTIMMW	Immersion Wrench	41
NTHS300	Hacksaw 300mm	63
NTUG30	Manometer U-Guage 30mb	67
NTOLV15	Olive Cutters 15mm	25
NTOLV22	Olive Cutters 22mm	25
NTSB1	Burn Mat Protection Surround Barrier PROPANE 10"	47, 48
NTSB2	Burn Mat Protection Surround Barrier PROPANE 12"	47, 48
NTSBMAPP	Burn Mat Protection Surround Barrier MAPP 12"	47, 48
NTSBMICRO	Burn Mat Protection Surround Barrier PROPANE 6"	47, 48
NTTB1522	Tube Bender 15mm + 22mm	53
NTTB1522B	Tube Bender (15mm + 22mm) with Carry Bag	54
NTTBAG	Tube Bender Carry Bag	54
NTTB15G	Tube Bender Spare Guide 15mm	53
NTTB22G	Tube Bender Spare Guide 22mm	53
NTTBMINI	Mini Tube Bender	55
NTTB152228	Pipe Bending Machine 15mm, 22mm & 28mm	51, 52
NTFJ500	FIREJET Nerrad Blow Torch	43, 44, 45
NTFJ500R	FIREJET Nerrad Blow Torch for Refillable Primus Cylinders	43, 44, 45
NTDB100	'Drain Buddy' Drain Assembly Tool 100mm (4")	49, 50
NTDB150	'Drain Buddy' Drain Assembly Tool 150mm (6")	49, 50
NTDPCCT1	Drain & Soil Pipe Cutter 110mm	21, 22
NTDPCCT2	Drain & Soil Pipe Cutter 160mm	21, 22
NTVSF1	Versa-Funnel	56
NTHSCOMP	Heat Stop Compound 340g	46

DARREN CHALKLY - MANAGING DIRECTOR



Darren Chalkly, MD of Nerrad Tools



Made by plumbers, for plumbers.”

Having been a plumber for the past 25 years, I'm only too familiar with the daily challenges faced by us industry professionals. One minute you're lying under a bath changing a set of Victorian bath mixers, the next you're having to contort your hands trying to replace a faulty diverter valve on a boiler that probably should have been condemned 20 years ago.

Out in the field no two tasks are ever the same, however it was this aspect of the job that appealed to me. I don't think many customers realise how diverse we all have to be. Nowadays my white van is parked up for good and I've moved into the office, but this has not curbed my enthusiasm for the industry which is as strong as ever.

Nerrad Tools was born out of a resolve to make the industry a better place to work in. It has been good to me and now it's my mission to try and give something back. Me and my hand-picked team (some of whom are industry professionals) set about creating the UK's premier plumbing tool brand some 5 years ago and so far it's been an exciting journey.

There is already a vast array of plumbing tools on the market, but we felt there was room for further improvement and innovation. We analysed your feedback and requirements and identified areas that could be re-developed. For example, we've aimed to build in an ergonomic, 'easier to use' functionality, requiring much less human force to operate, the result is reduced wear and tear for the product and the plumber alike.

Our goal is to provide a comprehensive range of plumbing products that are constructed to the highest standards, making everyday plumbing tasks easier to carry out, so that ultimately you (the engineer) can be more productive.

A handwritten signature in black ink that reads 'Darren'. The signature is stylized with a long, sweeping underline that extends to the right.

Darren Chalkly, MD of Nerrad Tools





ABOVE & BELOW: Examples of custom display units

Nerrad Tools produce a range of display units for retailers interested in showcasing our tools. The larger size includes a fixed touchscreen which allows for customer access to videos of our plumbing tool range in action. Measurement details are available on request.

For more information please contact: enquiries@nerradlimited.com



NERRAD TOOLS TERMS & CONDITIONS

DEFINITIONS

The Buyer: the person, firm or company who purchases Goods from the Company.
The Company: Nerrad Limited.
Goods: All items or services which the Company is to supply to the Buyer.

CONDITIONS

All orders are accepted by the Company subject to and in accordance with the following Conditions of Sale. All orders accepted by the Company are deemed to be under these Conditions and to the absolute exclusion of all other terms and conditions (including any which the Buyer purports to apply under any purchase order, confirmation of order, specification or other document). Each order or acceptance of a quotation for Goods by the Buyer from the Company shall be deemed to be an offer by the Buyer to buy Goods subject to these Conditions. The sub-headings of these Conditions are for ease of reference only.

PRICES

Prices are invoiced at prices ruling on date of despatch and orders are accepted only on that basis. Prices are correct at time of printing. The Company reserves the right to change prices without prior notice. Any quotation given by the Company shall not be binding until the Company dispatches an acknowledgement of order to the Buyer.

Any quotation is valid for a period of 30 days only from its date, provided that the Company has not previously withdrawn it.

DESPATCH OF GOODS AND DELIVERY

(a) UK: Free on orders of £75 net value of Goods when despatched to Buyers premises in UK mainland by the Company's normal method of carriage. Northern Ireland, Channel Islands, all UK offshore islands and any non-standard delivery addresses (i.e. not Buyer's own normal delivery address), delivered free of carriage on orders of £150 net value. When a special method of delivery is requested e.g. post, Parceline a.m. service, airfreight, Datapost etc., then carriage will be charged in full regardless of order value.

(b) Export: For details of freight & insurance, minimum order value and carriage, ask the Buyer's usual sales contact at the Company.

(c) Any dates specified by the Company for delivery of Goods are intended to be an estimate only and time for delivery shall not be of the essence.

(d) The Company may deliver the Goods by separate instalments and each separate instalment shall be invoiced and paid for in accordance with these Conditions.

PACKING

Cases and cartons are free and non-returnable.

TERMS OF PAYMENT

(a) UK: All Goods supplied shall be paid for within 30 days from the date of invoice by the Company.

(b) Export: For details please ask the Buyer's usual sales contact at the Company.

(c) Time for payment shall be of the essence.

(d) No payment shall be deemed to have been received until the Company has received cleared funds.

(e) Non-compliance with the Company's terms of payment shall constitute default without reminder. In case of default the Company may charge interest at the rate of one and a half percent per month from the date upon which the payment falls due until payment is made. In the event that the Buyer shall fail to fulfil the terms of payment in respect of any invoice the Company may in its sole discretion demand payment of all outstanding balances whether due or not, cancel all outstanding orders and/or decline to make further deliveries except upon receipt of cash or satisfactory security. The Company reserves the right to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.

(f) The Buyer shall not be entitled to withhold or set off payment of Goods delivered by virtue of any debt claim or allegation.

(g) Where any prices quoted are exclusive of VAT, VAT shall be payable in addition (where applicable) at the prevailing rate.

(h) The Company reserves the right to operate a minimum invoice charge.

(i) The Company reserves the right to operate a percentage deposit charge.

PASSING OF RISK

The risk in the Goods shall pass to the Buyer when the Company delivers the Goods in accordance with the terms hereof to the Buyer or other person to whom the Company has been authorised by the Buyer to deliver the Goods whether expressly or by implication and the Company shall not be liable for the safety of the Goods thereafter and accordingly the Buyer should insure the Goods thereafter against such risks as may be commercially prudent.

RESERVATION OF PROPERTY AND RIGHTS OF DISPOSAL

(a) Until payment by the Buyer in full of the price for the Goods and any other monies payable to the Company:

(i) The Goods shall remain the sole and absolute property of the Company as legal and equitable owner.

(ii) The Buyer shall hold the Goods solely as a fiduciary

for the Company and shall store the Goods separately from his own Goods or those of any other person and in a manner which makes them readily identifiable as the Goods of the Company and shall hold the proceeds of sale of the Goods in trust for the Company and shall keep them at all times identifiable as the Company's monies and shall not mingle them with other monies or pay them into an overdrawn bank account.

(iii) The Buyer shall insure the Goods against all normal commercial risk to their full replacement value with an insurance company of repute.

(iv) The Buyer's right to possession of the Goods shall terminate immediately if the Buyer has a bankruptcy order made against it, or makes an arrangement or composition with its creditors or otherwise takes the benefit of any statutory provision for the time being in force for the relief of insolvent debtors or (being a company) convenes a meeting of creditors (whether formal or informal), or enters into liquidation (whether voluntary or compulsory) except a solvent voluntary liquidation for the purpose only of reconstruction or amalgamation, or has a receiver and/or manager, administrator or administrative receiver appointed, or a resolution is passed or a petition presented for the winding up of the Buyer or for the granting of an administration order or any proceedings are commenced relating to the insolvency of the Buyer.

(b) The Buyer shall be deemed not to have paid the Company for Goods in the possession of the Company at any time unless the Buyer can prove that payment has been received by the Company.

(c) At any time prior to the payment in full of the price and other monies payable to the Company in respect of the Goods the Company or its agents may enter the premises of the Buyer and take possession of any Goods of which the Company is the owner and remove and dispose of them as the Company sees fit and the Buyer gives the Company an irrevocable licence to enter upon its premises for such purpose.

(d) The Company shall be entitled to recover payment for the Goods even though ownership has not passed from the Company.

GUARANTEE AND WARRANTY

All products are provided with a guarantee against faulty materials and/or workmanship. The terms of the guarantee varies from product to product and the details for any particular product are as provided on the Company's individual product brand websites or provided to the Buyer in writing upon request. Any faulty products will be replaced or repaired free of charge at the discretion of the Company in accordance with the relevant guarantee if found to be faulty, provided they are returned immediately to the Company at the Buyer's cost. The reason for return must be clearly stated.

The Company is not liable for the following: Any direct consequential loss or damage of anything whatsoever (including, without limitation, loss of profits, revenue or contracts, pure economic loss or similar loss) or for any damage to or destruction of any property, injury to or death of any person, except to the extent that such injury or death is caused by the negligence on the part of the Company or its employees; costs, damages, charges or expenses caused directly or indirectly by any delay in the delivery of the Goods (even if caused by the Company's negligence) any Goods which have been repaired or altered in any way, any Goods which have been subject to accident or damage or which have been maintained, stored or used improperly; unsuited, inappropriate and faulty application or treatment, normal wear and tear due to use.

All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued for guidance purposes only to give an approximate idea of the Goods described in them and do not form part of these Conditions.

CLAIMS

The buyer is required to notify the company by phone and then confirm by letter/email regarding:

(a) NON DELIVERY

To the Company within 3 days of receipt of invoice which is sent to the Buyer on the day following dispatch of Goods.

(b) SHORTAGES

To the Company immediately.

(c) PILFERAGE AND DAMAGE

To the Company and its carriers within 24 hours of receipt of Goods.

Carriers' sheet to be endorsed with details of open or damaged cartons.

It is emphasised that delay by the buyer may cause the company's claim to be rejected by the carriers. In this event the company would not accept any responsibility for loss.

(d) INVOICE QUERIES

To the Company within 30 days of receipt of invoice.

(e) The Company shall not be liable for any non-delivery of Goods (even if caused by the Company's negligence) unless the Buyer has so notified the Company in accordance with the above provisions.

(f) Any liability of the Company for non-delivery of the Goods shall be limited to replacing the Goods within

a reasonable time or issuing a credit note against any invoice raised for such Goods.

LIMITATION OF LIABILITY

(a) Subject to the provisions of paragraph (b) of this Condition it is expressly stipulated that in the event of any claim on any ground being made by the Buyer against the Company in respect of the Goods or any matter arising from or in relation to the contract relating thereto the liability the Company shall be limited (in respect of each claim or series of connected claims) to the invoice value of the Goods and under no circumstances shall the Company be under any further liability to the Buyer whether for loss of profit or for any direct or consequential loss howsoever arising.

(b) Notwithstanding any provisions herein contained nothing in these Conditions shall operate or be construed as operating to exclude or restrict any liability of the Company for death or personal injury resulting from the negligence of the Company.

(c) Whilst every care is taken in handling Goods by the Company's employees liability is excluded for any damage to such Goods by any cause whatsoever.

(d) On electrical devices liability is excluded for any unforeseen circumstances brought about by power failure or spiking (not notified to the Company before installation of the equipment).

RETENTION OF DOCUMENTS

The Company will retain all documents relating to orders etc. for a maximum period of 2 years.

RETURNS

Goods supplied correctly to Buyer's order cannot be accepted for return or exchange unless by prior agreement in writing and a minimum 15% handling charge will be made. Additional charges may be made if the products are returned in a non re-saleable condition, e.g. if product cards and or packaging are damage.

SPECIFICATION

Due to the Company's policy of continuous improvement it reserves the right to alter specifications without prior notice. The Company also reserves the right to substitute items which have been discontinued or improved with the replacement model.

PREVIOUS CONDITIONS

If at any time one or more of the above conditions becomes in whole or in part invalid, illegal or unenforceable in any respect under any law the validity, legality and enforceability of the remaining provisions thereof and of the other Conditions herein shall not in any way be affected or impaired thereby.

STANDARD QUANTITIES

The column headed 'box qty' in the catalogues and price lists indicates the number of items contained in outer cartons. The Company reserves the right to amend the Buyer's order quantities to the nearest outer carton quantity.

FORCE MAJEURE

The Company reserves the right to defer the date of delivery or to cancel any order for Goods or to reduce the volume of Goods delivered without liability to the Buyer if it is prevented from or delayed in the carrying on of its business due to circumstances beyond its reasonable control, including (without limitation), acts of God, governmental actions, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock outs, strikes or other labour disputes (whether or not relating to either party's workforce), or restraints or delays affecting carriers inability or delay in obtaining supplies of adequate or suitable materials, provided that, if the event in question continues for a continuous period in excess of 3 months, the Buyer shall be entitled to give notice in writing to the Company to cancel the order.

GOVERNING LAW

All contracts shall be governed by English Law. In the event of any dispute whether of interpretation or otherwise or as the liability either of the Company or the Buyer arising out of the sale, use or operation or failure to operate the Goods or of any part thereof the same shall be determined by English Courts of Law to whose jurisdiction the Company and the Buyer hereby submit.

GENERAL

(a) Each right or remedy of the Company under these Conditions is without prejudice to any other right or remedy of the Company, whether under these Conditions or otherwise.

(b) Failure or delay by the Company in enforcing any provision of these Conditions shall not be construed as a waiver of any of its rights under these Conditions.

(c) Any waiver by the Company of any breach of, or any default under, any provision of these Conditions by the Buyer shall not be deemed a waiver of any subsequent breach or default and in shall no way affect the other terms of these Conditions.

(d) It is not intended that the any term of these Conditions shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by anyone other than the Buyer and the Company.



NERRAD TOOLS LIMITED

Leatherhead, Surrey, UK.

Tel: 0845 305 1602 | www.nerradtools.com

EDITION 2

NTBR2016A